



अधीक्षण अभियंता का कार्यालय □  
OFFICE OF THE SUPERINTENDING ENGINEER  
कार्य स्थापना अनुभाग, WORKS ESTABLISHMENT SECTION  
राष्ट्रीय प्रौद्योगिकी संस्थान कर्नाटक, सूरतकल  
NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

पोस्ट श्रीनिवासनगर, मंगलूरु – 575025, कर्नाटक, भारत. / Post Srinivasnagar, Mangaluru – 575025, Karnataka, INDIA.  
Phone: [0824] - 2473029, 2473028 Email: se@nitk.edu.in Website: https://www.nitk.ac.in

No. NIQ/ ELE / 2024-25/Stores

Date: 27-08-2024

NOTICE INVITING QUOTATIONS

The National Institute of Technology Karnataka, Surathkal (in short - NITK, Surathkal) is an autonomous Institute of the Govt. Of India [under the Ministry of Education] imparting technical and science education. The Institute intends to “**70W LED Street light fitting**” The details of work listed on the sheet enclosed. In this connection, sealed quotations are invited by the undersigned subject to the terms and conditions enumerated here under from the Contractor/ agencies to reach this office on or before **09-09-2024 by 3.30 PM**. The quotations shall be opened on the same day if possible.

Terms and conditions:

1. The intending bidder shall quote his rates in the 'Quotation Format' enclosed here with either in his letter head or using the same format. He / She shall sign each page with seal of the firm. Envelope super scripted as Quotation for “**70W LED Street light fitting**” and addressed to as “The Superintending Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru – 575025”
2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. Quotation without this information will not be accepted.
3. **The bidder should provide valid authorization certificate from the original equipment manufacturers to participate in this tender/Quotation**
4. Quotation may be dropped in the Tender Box kept in the office or may be sent by post/ courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained. The rate quoted shall be valid for 90 days for its acceptance.
5. The bidder shall specify the make of material for which the rate is offered by him. Complete technical details of the quoted item should be submitted along with the quotation. **The bidder should send separate quotation for different brands.**
6. Freight of Rate [F.O.R] – NITK, Surathkal.
7. **The quotation/ bid shall be accepted depending on the total lowest amount quoted for**

**item. The bidder who quoted total lowest amount will supply the materials.**

8. The work should be supplying the item within 7 days from the date of confirmation of acceptance of the quotation.
9. Tenderer shall refer the details, specifications enclosed separately. The materials should be strictly as per the specification specified, without which the materials will be rejected.
10. No advance payment will be made. The payment shall be made within 30 days from the date of completion of work. No interest will be paid for delayed payments if any.
11. The rate quoted should be firm. No claim for enhancement of rate is admissible after opening of the Quotations.
12. The Institute reserves the right to cancel the quotations at any time. The bidder shall have no claim in this regard.
13. Terms and conditions stipulated in this notice inviting conditions are binding on the bidder.

Yours Faithfully,

Sd/-  
Superintending Engineer  
NITK, Surathkal

Name and Address of the Bidder:

Contact No:

GST registration number:

PAN number: -

Date:

To

The Superintending Engineer,  
Office of the Superintending Engineer,  
N.I.T.K., Surathkal.

QUOTATION

Sl. No	Description of the items	Quantity	Rate without tax in Rs / each	GST	Amount with tax in Rs.
1	<p><b><u>70W LED Street light fitting:-</u></b> Make: Phillips / Havells / Syska / LT Wattage: 70W, Lumen output min <math>\geq 7700</math>lm Supply of IP66 LED Luminaries, made up of aluminum extrusion with PC optical front cover/toughened glass with silicon loop gasket. Luminaire body must be corrosion resistant powder coated. Light source: SMD LED Chip as per LM 80/IS16106 Housing: Pressure die cast aluminum alloy. Protection: IP66 (as per IS:10322 (part 1) latest Mounting pipe size: Up to 50mm Lens: Polycarbonate. Rated voltage &amp; frequency: 140 to 270 Volts AC at 50 Hz<math>\pm</math>2 Efficacy: <math>\geq 130</math> Lm/Watt Driver efficiency should be 85%. The luminaries should have CRI<math>&gt;70</math> and CCT of 6500K<math>\pm</math>500 Fitting shall have over voltage protection, short circuit protection, over load protection, surge protection, heat sink etc. The luminaire shall be protected against surges and transients (Internal); <math>\geq 5</math>KV ,50000 burning hours Luminaries should withstand THD less than 10% and should have power factor <math>&gt; 0.95</math>,</p>	300 Nos			

<p>Warranty: Min 5 years</p> <p>Insulation resistance between earth and current carrying part &gt;100 M Ohm</p> <p>"Manufactures Name and brand on the aluminum die cast body: Engraved/Embossed</p> <p>Application: Road lighting, yard lighting etc</p> <p>Note: The fitting should be Compatible for up to 50mm size GI pole mounting. The fitting shall have suitable bolt &amp; nut for pole mounting &amp; connector.</p> <p>Certification: Latest LM79 &amp; LM 80 certificates required.</p> <p>BIS certified luminaire with R no</p>				
	<b>Grand Total Amount</b>			

**Seal and signature of the Bidder**



