# **Corrigendum 01**

Date: 01-01-2025

This is reference to the tender notification for below said NIQ'S there are following corrections.

Last date and time for submission of tender is extended up to 3.30p.m. on 08-01-2025.

1. No. NIQ/ ELE / WMF/2024-25/Stores Date: 16-12-2024 "400mm sweep wall mounting fan with mounting bracket"

2. No. NIQ/ ELE / Bulb/2024-25/Stores Date: 16-12-2024 "Electrical Items"

3. No. NIQ/ ELE Fl. Light/2024-25/Stores Date: 17-12-2024 "150W Flood Light"

Sd/-Superintendent Engineer NITK, Surathkal



# अधीक्षण अभियंता का कार्याल □ OFFICE OF THE SUPERINTENDING ENGINEER कार्य स्थापना अनुभाग , WORKS ESTABLISHMENT SECTION

राष्ट्रीय प्रौद्योगिकी संस्थान कर्नाटक,सूरतकल

## NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

पोस्ट श्रीनिवासनगर, मंगलूरु – 575025, कर्नाटक, भारत. / Post Srinivasnagar, Mangaluru – 575025, Karnataka, INDIA. Phone: [0824] - 2473029, 2473028 Email: se@nitk.edu.in Website: https://www.nitk.ac.in

Date: 16-12-2024

No. NIQ/ ELE / WMF/2024-25/Stores

**NOTICE INVITING QUOTATIONS** 

The National Institute of Technology Karnataka, Surathkal (in short - NITK, Surathkal) is an autonomous Institute of the Govt. Of India [under the Ministry of Education] imparting technical and science education. The Institute intends to "400mm sweep wall mounting fan with mounting bracket" The details of work listed on the sheet enclosed. In this connection, sealed quotations are invited by the undersigned subject to the terms and conditions enumerated here under from the Contractor/ agencies to reach this office on or before 27-12-2024 by 3.30 PM. The quotations shall be opened on the same day if possible.

#### Terms and conditions:

- The intending bidder shall quote his rates in the 'Quotation Format' enclosed here with either in his letter head or using the same format. He / She shall sign each page with seal of the firm. Envelope super scripted as Quotation for "400mm sweep wall mounting fan with mounting bracket "and addressed to as "The Superintending Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru 575025"
- 2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. Quotation without this information will not be accepted.
- 3. Quotation may be dropped in the Tender Box kept in the office or may be sent by post/ courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained. The rate quoted shall be valid for 90 days for its acceptance.
- 4. The bidder shall specify the make of material for which the rate is offered by him. Complete technical details of the quoted item should be submitted along with the quotation.
- 5. Freight of Rate [F.O.R] NITK, Surathkal.
- 6. The quotation/ bid shall be accepted depending on the total lowest amount quoted foritem. The bidder who quoted total lowest amount will supply the materials.
- 7. The work should be supplying the item within 7 days from the date of confirmation of acceptance of the quotation.

- 8. Tenderer shall refer the details, specifications enclosed separately. The materials should be strictly as per the specification specified, without which the materials will be rejected.
- 9. No advance payment will be made. The payment shall be made within 30 days from the date of completion of work. No interest will be paid for delayed payments if any.
- 10. The bidder should provide valid authorization certificate from the original equipment manufacturers to participate in this tender/Quotation
- 11. The rate quoted should be firm. No claim for enhancement of rate is admissible after opening of the Quotations.
- 12. The Institute reserves the right to cancel the quotations at any time after/ before opening of the quotation. The bidder shall have no claim in this regard.
- 13. Terms and conditions stipulated in this notice inviting conditions are binding on the bidder.

Yours Faithfully,

Sd/-Superintending Engineer NITK, Surathkal

Name and Address of the Bidder:	
Contact No:	
GST registration number:	Date:
PAN number: -	
To The Superintending Engineer Office of the	

Resident Engineer, N.I.T.K., Surathkal.

SI. No	Description of the items	Quantity	Rate without tax in Rs / each	GST	Amount withtax in Rs.
1	Supplying 400mm sweep wall mounting fan suitable to operate at single phase 230V AC supply with following specification: Type of mounting: Bracket mounting Type of fan motor: Non-Capacitor type Oscillation: Yes Mounting Type: Wall Mount Fan size: 400mm Protection: IP21, IP22 IS standard: IS:555 latest Motor type: AC Remote Control: No Voltage: 230v AC Speed control mechanism: Pull cord or string based Oscillation control: Pull cord or string based RPM: 2200 at max speed No of blade: 3 Blade material: ABS Fan guard material: Powder coated metal wire No of speed steps: 3 Speed: Min 1500 RPM Adjustable vertical tilt: yes Other items include: motor, blade, guard, mounting clamp, chord wire with top etc. Warranty: Min 2 years.  Make: Havells / Usha / Bajaj / Almonard / Crompton / Polar/Orient / Atom burg	75 Nos			
I	Grand Total Amount	ĺ			ĺ

**QUOTATION** 



## अधीक्षण अभियंता का कार्याल□ OFFICE OF THE SUPERINTENDING ENGINEER कार्य स्थापना अनुभाग, WORKS ESTABLISHMENT SECTION

राष्ट्रीय प्रौद्योगिकी संस्थान कर्नाटक,सूरतकल

#### NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

पोस्ट श्रीनिवासनगर, मंगलूरु – 575025, कर्नाटक, भारत. / Post Srinivasnagar, Mangaluru – 575025, Karnataka, INDIA. Phone: [0824] - 2473029, 2473028 Email: se@nitk.edu.in Website: https://www.nitk.ac.in

Date: 16-12-2024

No. NIQ/ ELE / Bulb/2024-25/Stores

## NOTICE INVITING QUOTATIONS

The National Institute of Technology Karnataka, Surathkal (in short - NITK, Surathkal) is an autonomous Institute of the Govt. Of India [under the Ministry of Education] imparting technical and science education. The Institute intends to "Electrical Items" The details of work listed on the sheet enclosed. In this connection, sealed quotations are invited by the undersigned subject to the terms and conditions enumerated here under from the Contractor/ agencies to reach this office on or before 27-12-2024 by 3.30 PM. The quotations shall be opened on the same day if possible.

#### Terms and conditions:

- The intending bidder shall quote his rates in the 'Quotation Format' enclosed here with either in his letter head or using the same format. He / She shall sign each page with seal of the firm. Envelope super scripted as Quotation for "Electrical Items" and addressed to as "The Superintending Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru 575025"
- 2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. Quotation without this information will not be accepted.
- 3. Quotation may be dropped in the Tender Box kept in the office or may be sent by post/ courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained. The rate quoted shall be valid for 90 days for its acceptance.
- 4. The bidder shall specify the make of material for which the rate is offered by him. Complete technical details of the quoted item should be submitted along with the quotation.
- 5. Freight of Rate [F.O.R] NITK, Surathkal.
- 6. The quotation/ bid shall be accepted depending on the total lowest amount quoted foritem. The bidder who quoted total lowest amount will supply the materials.
- 7. The work should be supplying the item within 7 days from the date of confirmation of acceptance of the quotation.
- 8. Tenderer shall refer the details, specifications enclosed separately. The materials should be strictly as per the specification specified, without which the materials will be rejected.

- 9. No advance payment will be made. The payment shall be made within 30 days from the date of completion of work. No interest will be paid for delayed payments if any.
- 10. The bidder should provide valid authorization certificate from the original equipment manufacturers to participate in this tender/Quotation
- 11. The rate quoted should be firm. No claim for enhancement of rate is admissible after opening of the Quotations.
- 12. The Institute reserves the right to cancel the quotations at any time after/ before opening of the quotation. The bidder shall have no claim in this regard.
- 13. Terms and conditions stipulated in this notice inviting conditions are binding on the bidder.

Yours Faithfully,

Sd/-Superintending Engineer NITK, Surathkal Name and Address of the Bidder: Date: **Contact No:** 

GST registration number: PAN number: -

То

The Superintending Engineer, Office of the Resident Engineer, N.I.T.K., Surathkal.

## **QUOTATION**

Supplying 9W LED bulb having following specification: Rating: 9W / 10W Driver : Inbuilt Colour temperature: 6000-6500K, cool day light Type of lamp cap: B22d ( pin type) IS standard: IS 16102 part 1 and part II latest 1 Rated voltage: 230V single phase 50Hz Efficacy: ≥= 100 Im/W Warranty: Min 1 year. Protections: Over voltage & Short circuit protection Certification: Latest LM79 & LM 80 certificates required Make: Phillips / Havells / Surya / Syska / Crompton / Bajaj  2 feet 9W/10W LED batten: - Make: Phillips / Havells / Crompton / Bajaj/Eveready/Wipro Input Voltage 140-270 V Frequency 50 Hz Power Consumption 9W/10 W Length of LED batten 600mm / 2 Feet Power Factor (Fraction) 0.95 Luminaries should be with minimum system efficacy of 110 Lumen/Watt The luminaries should withstand THD less than 10% and should have power factor > 0.95, Surge 3KV. Driver efficiency should be 85%. Designed for operating temp (-) 10deg C to 50 deg C. Mech. impact protection code IK02 [0.2 J standard] or better Surge Protection (Common/Differential) 4 kV or more Protection class IEC Safety class II or better Housing Material Steel or better, Optic material Polycarbonate or better, Optical cover material Polycarbonate or better, Housing Color White, BIS certified luminaire with Registration no. Certification: Latest LM 79 & LM 80 The Fitting must have necessary mounting clip & Screw Warranty of 5 years (Certificate from OEM)	SI. No	Description of the items	Quantity	Rate without tax in Rs / each	GST	Amount with tax in Rs.
Make: Phillips / Havells / Crompton / Bajaj/Eveready/Wipro Input Voltage 140-270 V Frequency 50 Hz Power Consumption 9W/10 W Length of LED batten 600mm / 2 Feet Power Factor (Fraction) 0.95 Luminaries should be with minimum system efficacy of 110 Lumen/Watt The luminaries should have CRI>80 and CCT of 6000-6500K. Luminaries should withstand THD less than 10% and should have power factor > 0.95, Surge 3KV.  2 Driver efficiency should be 85%. Designed for operating temp (-) 10deg C to 50 deg C. Mech. impact protection code IK02 [0.2 J standard] or better Surge Protection (Common/Differential) 4 kV or more Protection class IEC Safety class II or better Housing Material Steel or better, Optic material Polycarbonate or better, Optical cover material Polycarbonate or better, Housing Color White, BIS certified luminaire with Registration no. Certification: Latest LM 79 & LM 80 The Fitting must have necessary mounting clip & Screw Warranty of 5 years (Certificate from OEM)	1	Rating: 9W / 10W Driver: Inbuilt Colour temperature: 6000-6500K, cool day light Type of lamp cap: B22d (pin type) IS standard: IS 16102 part 1 and part II latest Rated voltage: 230V single phase 50Hz Efficacy: >= 100 lm/W Warranty: Min 1 year. Protections: Over voltage & Short circuit protection Certification: Latest LM79 & LM 80 certificates required	500 Nos			
Grand Total Amount	2	Make: Phillips / Havells / Crompton / Bajaj/Eveready/Wipro Input Voltage 140-270 V Frequency 50 Hz Power Consumption 9W/10 W Length of LED batten 600mm / 2 Feet Power Factor (Fraction) 0.95 Luminaries should be with minimum system efficacy of 110 Lumen/Watt The luminaries should have CRI>80 and CCT of 6000-6500K. Luminaries should withstand THD less than 10% and should have power factor > 0.95, Surge 3KV. Driver efficiency should be 85%. Designed for operating temp (-) 10deg C to 50 deg C. Mech. impact protection code IK02 [0.2 J standard] or better Surge Protection (Common/Differential) 4 kV or more Protection class IEC Safety class II or better Housing Material Steel or better, Optic material Polycarbonate or better, Optical cover material Polycarbonate or better, Housing Color White, BIS certified luminaire with Registration no. Certification: Latest LM 79 & LM 80 The Fitting must have necessary mounting clip & Screw Warranty of 5 years (Certificate from OEM)	300 Nos			
		Grand Total Amount				



## अधीक्षण अभियंता का कार्याल □ OFFICE OF THE SUPERINTENDING ENGINEER कार्य स्थापना अनुभाग, WORKS ESTABLISHMENT SECTION

राष्ट्रीय प्रौद्योगिकी संस्थान कर्नाटक,सूरतकल

### NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

पोस्ट श्रीनिवासनगर, मंगलूरु – 575025, कर्नाटक, भारत. / Post Srinivasnagar, Mangaluru – 575025, Karnataka, INDIA. Phone: [0824] - 2473029, 2473028 Email: se@nitk.edu.in Website: https://www.nitk.ac.in

Date: 17-12-2024

No. NIQ/ ELE Fl. Light/2024-25/Stores

## **NOTICE INVITING QUOTATIONS**

The National Institute of Technology Karnataka, Surathkal (in short - NITK, Surathkal) is an autonomous Institute of the Govt. Of India [under the Ministry of Education] imparting technical and science education. The Institute intends to "150W Flood Light" The details of work listed on the sheet enclosed. In this connection, sealed quotations are invited by the undersigned subject to the terms and conditions enumerated here under from the Contractor/ agencies to reach this office on or before 30-12-2024 by 3.30 PM. The quotations shall be opened on the same day if possible.

#### Terms and conditions:

- The intending bidder shall quote his rates in the 'Quotation Format' enclosed here with either in his letter head or using the same format. He / She shall sign each page with seal of the firm. Envelope super scripted as Quotation for "150W Flood Light" and addressed to as "The Superintending Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru 575025"
- 2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. Quotation without this information will not be accepted.
- 3. Quotation may be dropped in the Tender Box kept in the office or may be sent by post/ courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained. The rate quoted shall be valid for 90 days for its acceptance.
- 4. The bidder shall specify the make of material for which the rate is offered by him. Complete technical details of the quoted item should be submitted along with the quotation.
- 5. Freight of Rate [F.O.R] NITK, Surathkal.
- 6. The quotation/ bid shall be accepted depending on the total lowest amount quoted foritem. The bidder who quoted total lowest amount will supply the materials.
- 7. The work should be supplying the item within 7 days from the date of confirmation of acceptance of the quotation.
- 8. Tenderer shall refer the details, specifications enclosed separately. The materials should be strictly as per the specification specified, without which the materials will be rejected.

- 9. No advance payment will be made. The payment shall be made within 30 days from the date of completion of work. No interest will be paid for delayed payments if any.
- 10. The bidder should provide valid authorization certificate from the original equipment manufacturers to participate in this tender/Quotation
- 11. The rate quoted should be firm. No claim for enhancement of rate is admissible after opening of the Quotations.
- 12. The Institute reserves the right to cancel the quotations at any time after/ before opening of the quotation. The bidder shall have no claim in this regard.
- 13. Terms and conditions stipulated in this notice inviting conditions are binding on the bidder.

Yours Faithfully,

Sd/-Superintending Engineer NITK, Surathkal

Name and Address of the Bidder:		
Contact No:	Dat	e:
GST registration number:		
PAN number: -		
To The Superintending Engineer, Office of the	QUOTATION	

Resident Engineer, N.I.T.K., Surathkal.

SI. No	Description of the items	Quantity	Rate without tax in Rs / each	GST	Amount with tax in Rs.
1	Supplying LED flood light with following specification: Rating: 150W Protection: IP66 Colour Temp: 6000 – 6500K Warranty: Min 2 years Input voltage: 90 to 300V AC, 50Hz Rated voltage: 230V AC Efficacy: 100Lm/Watt Driver: inbuilt Reflector: Yes Mounting brackets: Adjustable, metal bracket Optic lense: polycarbonate lense Heat sink: Yes Short circuit protection: yes Over load protection: yes Over voltage protection: Yes Housing shall be pressure die casted aluminum alloy with higher thermal conductivity, toughened glass, silicon gasket, corrosion resistant body. Entire housing shall be dust and water proof having IP66 protection. Manufacturer name & brand on aluminum body: Engraved / Embossed. Other items include: Bracket, chord wire, mounting clamp bolt & nuts etc. Certification: Latest LM79 & LM 80 certificates required.  Make: Phillips / Havells / Surya / Syska / Crompton / Bajaj	75 Nos			
	Grand Total Amount				